

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	260	uplink state flag	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/25 11:54
L3	1	(poll\$3) with (usf or uplink state flag) with (control block)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/25 12:11
L4	43	(poll\$3) and (usf or uplink state flag) and (control block)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/25 12:13
L5	27	4 and (@rlad<"20031023" or @ad<"20031023")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/25 12:13
L6	2	US-20060099990-A1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/25 12:22
L7	2	US-7054268-B1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/25 14:36
L8	2	US-7551948-B2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/25 15:01
L9	2	"20060141987".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/25 15:47
L10	2	"20040114597".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/25 15:54
L11	2	"20040064730".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/25 15:57

L12	1	11/454956	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/25 16:03
L13	3	US-20050018624-A1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/25 16:31
L14	20	(poll\$3 or request\$3 or ask\$3) same (usf or uplink state flag) same (control block) same data	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/25 17:08
L15	14	14 and (@rlad<"20031023" or @ad<"20031023")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/25 17:09
L16	595	(UE or WTRU or ((radio or mobile or wireless or cell or cellular or portable or hand\$held) adj (apparatus or phone or telephone or device or unit or terminal or station))) same (decid\$3 or choos\$3 or determin\$3 or opt\$3 or ignor\$3) same (respon\$4 or repl\$4 or acknowledg\$4) same (poll\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/25 17:17
L17	132	(UE or WTRU or ((radio or mobile or wireless or cell or cellular or portable or hand\$held) adj (apparatus or phone or telephone or device or unit or terminal or station))) with (decid\$3 or choos\$3 or determin\$3 or opt\$3 or ignor\$3) with (respon\$4 or repl\$4 or acknowledg \$4) with (poll\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/25 17:17
L18	12	(UE or WTRU or ((radio or mobile or wireless or cell or cellular or portable or hand\$held) adj (apparatus or phone or telephone or device or unit or terminal or station))) with (decid\$3 or choos\$3 or opt\$3 or ignor\$3) with (respon\$4 or repl\$4 or acknowledg\$4) with (poll\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/25 17:18
L20	8	18 and (@rlad<"20031023" or @ad<"20031023")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/25 17:18
L21	11	(UE or WTRU or ((radio or mobile or wireless or cell or cellular or portable or hand\$held) adj (apparatus or phone or telephone or device or unit or terminal or station))) with (decid\$3 or choos\$3 or ignor\$3) with (respon\$4 or repl\$4 or acknowledg\$4 or answer\$3) with (poll \$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/25 17:22

L22	7	21 and (@rlad<"20031023" or @ad<"20031023")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/25 17:23
L26	3	10/350002	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/25 18:32
L27	11537	(370/346,449,338,341,329).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/11/25 19:17
L28	9	14 and 27	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/25 19:17
L29	7	28 and (@rlad<"20031023" or @ad<"20031023")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/25 19:17
S1	1	10/576,873	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/05 10:47
S2	8	((DAVID) near2 (BLADSJO)).INV.	US-PGPUB; USPAT	ADJ	ON	2008/03/05 11:10
S3	17	((ERIK) near2 (WESTERBERG)).INV.	US-PGPUB; USPAT	ADJ	ON	2008/03/05 11:11
S4	1	S2 and S3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/05 11:11
S5	1	S4 and poll\$ with dummy	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/05 11:12
S6	1	S4 and GPRS	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/05 11:13
S7	6	("20020131372" "20020167961" "20030005091").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/05 11:14
S8	10159	((455/449-457) or (455/346)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/05 11:29

S10	3	(choos\$3 or select\$3 or decid\$3) near3 (send\$3 or transmit\$4) with (status or report) same dummy	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/05 12:02
S11	1256	(choos\$3 or select\$3 or decid\$3) near3 (send\$3 or transmit\$4) with (status or report) same data	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/05 12:04
S12	64	poll\$4 same (choos\$3 or select\$3 or decid\$3) near3 (send\$3 or transmit\$4) with (status or report)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/05 12:05
S15	352	(base station or bs or bst or ran or access point of ap) with poll\$3 with first with second	US-PGPUB; USPAT	ADJ	ON	2008/03/05 13:41
S16	402	(base station or bs or bst or ran or access point or ap) with poll\$3 with first with second	US-PGPUB; USPAT	ADJ	ON	2008/03/05 13:41
S17	113	(base station or bs or bst or ran or access point or ap) with poll\$3 with first with second and packet	US-PGPUB; USPAT	ADJ	ON	2008/03/05 13:42
S18	402	(base station or bs or bst or ran or access point or ap) with poll\$3 with first with second	US-PGPUB; USPAT	ADJ	ON	2008/03/05 13:46
S19	66	(base station or bs or bst or ran or access point or ap) with poll\$3 with first with second same (respond\$3 or response or ack\$8)	US-PGPUB; USPAT	ADJ	ON	2008/03/05 13:47
S20	635	(base station or bs or bst or ran or radio access network) with poll\$3 same request	US-PGPUB; USPAT	ADJ	ON	2008/03/05 14:03
S23	184	(base station or bs or bst or ran or radio access network) with poll\$3 same request same(mobile or wireless or radio or telephone or phone)	US-PGPUB; USPAT	ADJ	ON	2008/03/05 14:08
S28	131	uplink near4 TBF	US-PGPUB; USPAT	ADJ	ON	2008/03/05 15:20
S29	146	uplink near4 TBF	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/05 15:22
S30	27	uplink near4 TBF with (base station or bs)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/05 15:22
S32	25	poll\$3 with logical channel	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/05 17:57

S33	1	S6 and logical	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/05 18:35
S34	1	S7 and logical	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/05 18:36
S35	2	"2002131372"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/05 20:01
S36	2	us-20020131372-A1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/05 20:03
S37	11	poll\$ same logical near2 channel same (base station or bs or bst or ran or radio access network)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/06 06:47
S38	1	WO-2002009463-A1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/06 07:41
S39	11019	((455/449-457) or (455/346)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/10 16:44
S40	147	S39 and (transmit\$3 or reply\$3 or send \$3) with only with available	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 16:44
S41	39	S39 and (transmit\$3 or reply\$3 or send \$3) near4 only near4 available	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 16:45
S43	35	S41 and (@rlad<"20031023" or @ad<"20031023")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 16:46
S44	104	((base station or access point or "BS" or "AS") near5 (poll\$3))with (sav\$3 near3 power)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 17:19
S45	37	S44 and (@rlad<"20031023" or @ad<"20031023")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 17:19

S48	148	((base station or access point or "BS" or "AP") near5 (poll\$3)) near4 (UE or ((mobile or wireless or cell or cellular or portable or hand\$held) adj (phone or telephone or device or unit or terminal))))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 17:54
S49	88	S48 and (@rlad<"20031023" or @ad<"20031023")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 17:54
S50	2014	poll\$3 near2 type	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 19:07
S53	45	different near2 poll\$3 near2 type	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 19:07
S54	34	S53 and (@rlad<"20031023" or @ad<"20031023")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 19:07
S55	18	((ERIK) near2 (WESTERBERG)).INV.	US-PGPUB; USPAT	ADJ	ON	2008/09/10 22:15
S56	8	((DAVID) near2 (BLADSO)).INV.	US-PGPUB; USPAT	ADJ	ON	2008/09/10 22:15
S57	25	S55 or S56	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 22:16
S59	1	S57 and poll\$3 with dummy	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 22:16
S60	11019	((455/449-457) or (455/346)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/10 22:16
S61	39	S60 and (transmit\$3 or reply\$3 or send \$3) near4 only near4 available	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 22:17
S62	241	poll\$3 with (uplink or forward) with (flag or parameter or control)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/23 18:46
S63	179	S62 and (@rlad<"20031023" or @ad<"20031023")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/23 18:46

S64	207	poll\$3 with (uplink or forward) with (flag or control)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/23 18:47
S65	11	poll\$3 with (uplink or forward) with flag with control	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/23 18:47
S66	7	S65 and (@rlad<"20031023" or @ad<"20031023")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/23 18:47
S67	45	poll\$3 with flag with (control near3 block)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/23 18:52
S68	43	S67 and (@rlad<"20031023" or @ad<"20031023")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/23 18:53
S69	7	poll\$3 same (state near2 flag) with (control near3 block)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/23 18:59
S70	14	poll\$3 same (state near2 flag) same (control near3 block)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/23 18:59
S71	11	poll\$3 same (state near2 flag) same (control near2 block)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/23 18:59
S72	8	S71 and (@rlad<"20031023" or @ad<"20031023")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/23 19:00
S73	2	10/390144	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/23 19:06
S74	328	poll\$3 with (control near2 block)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/11 17:52

S75	267	S74 and (@rlad<"20031023" or @ad<"20031023")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/11 17:54
S76	142	polling with (control near2 block)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/11 17:54
S77	105	poll\$3 with (control block)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/11 17:55
S78	79	S77 and (@rlad<"20031023" or @ad<"20031023")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/11 17:55
S79	7	poll\$3 with (control block) with (transmit\$3 or send\$3 or communicat\$3) with (response or due)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/11 18:04
S80	3	S79 and (@rlad<"20031023" or @ad<"20031023")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/11 18:04
S81	11	polling same (control near2 block) same (uplink state flag)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/11 18:08
S82	11	poll\$3 same (control near2 block) same (uplink state flag)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/11 18:08
S83	8	S82 and (@rlad<"20031023" or @ad<"20031023")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/11 18:30
S84	185	((("2" or two) near2 (kind or type)) with polling	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/11 18:33
S85	147	S84 and (@rlad<"20031023" or @ad<"20031023")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/11 18:34

S86	90	(("2" or two) near2 (kind or type)) near5 polling	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/11 18:34
S87	64	S86 and (@rlad<"20031023" or @ad<"20031023")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/11 18:35

EAST Search History (I nterference)

< This search history is empty >

11/ 25/ 2009 7:21:24 PM

**C:\ Documents and Settings\ mbatista\ My Documents\ EAST\ Workspaces\ 10576873 METHOD AND
ARRANGEMENT FOR POLLI NG MANAGEMENT.w sp**